INSTALLATION INSTRUCTION

Duorail™ - Cable Power Feed

LM2-PCS

WAC LIGHTING Responsible Lighting®

CAUTION:

- Always turn off power at main switch prior to installation to prevent electrical shock.
- Have wiring checked by a qualified electrician.


OVERVIEW:


The power feed canopy is designed to fit over a standard 4" junction box, or may be fed from conduit, or surface wiring. Power is supplied from a remote transformer.


- 1. On the power feed canopy, loosen the three canopy screws and separate the canopy from the base plate.
- 2. Remove a knock out from the base plate.
- 3. Pull several inches of wire through the knock out hole.
- 4. Attach the base plate to the junction box using two screws from the box (or use mounting screws supplied for direct mounting to a surface).
- 5. Raise the canopy to the base plate.
- 6. Connect to the two wires from the transformer to the canopy wires with wire nuts (supplied).
- 7. Fit the canopy to the base plate, and tighten the three screws loosened earlier.
- 8. Loosen the setscrew on the rail adapter so that the two pieces will slip over the rail.
- 9. Hold the two adapter halves against the rail while tightening the setscrew. It is important that the adapters halves seat firmly against the rail.
- 10. After the first 20 minutes of operation switch off system and check for abnormal heat. Hot spots are caused by poor connection, correct by re-tightening.

ADJUSTING WIRE LENGTH:

- 1. Remove the setscrew holding the adapter halves, and separate the halves.
- 2. Loosen the small setscrews located on the inside surface of each half, using a 1/16" Allen wrench.
- 3. Withdraw wires and trim to desired length. Strip 3/8" insulation from wire ends.
- 4. Attach a brass crimp fitting to the end of each wire.
- 5. Reassembly is the reverse procedure.
- 6. The rubber insulator should be positioned so it does not protrude into the rail space.
- 7. **IMPORTANT:** Make sure the clear rubber washer remains in place in the recess of the setscrew used to secure adapter halves.
- 8. Retain instructions for future reference.







WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 1750 Archibald Ave • Ontario, CA 91761 Phone (800) 526.2588 • Fax (800) 526.2585