
### POME - model: G919

# **WAC LIGHTING**

### Cosmopolitan Collection Glass Pendant

## Responsible Lighting®



#### **PRODUCT DESCRIPTION**

Colored like a deep red apple, Pome is finely crafted in Germany with an exquisite trumpet design. Perfect to add an exquisite burgundy hue to a fine home, nightclub or restaurant.

#### **FEATURES**

- · LED lamping
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

#### **CONSTRUCTION**

- Socket Set: Machined Aluminum
- MP Canopy: Steel

- Adapters Solorail™, Duorail™: Copper
- Adapters 120V Track, Flexrail1: Polycarbonate

#### **COMPATIBLE SYSTEMS**

#### Canopy (MP)

LED Lamp

#### Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp

The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.




#### Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp

For use on 120V Track, Solorail $^{\mathsf{Im}}$ , Duorail $^{\mathsf{Im}}$ , and Flexrail $^{\mathsf{Im}}$  with proper Quick Connect $^{\mathsf{Im}}$  adapter (sold separately).

Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.



WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585



### POME - model: G919

# **WAC LIGHTING**

# Cosmopolitan Collection Glass Pendant

### Responsible Lighting®

#### SOCKET SET and LAMP INFORMATION


#### **LED**

Power: 2W Lumens: 110

Color Temperature: 3000K

CRI: 85

- · May be dimmed
- Includes collar with threaded set screw to allow for varying lamp positions inside the shade
- DO NOT rest glass on socket base Includes LED JC Bi-Pin



System		Model	Lamping	Shade Finish	Socket Finish
MP QP	Canopy Quick Connect™	919LED	LED	<b>BU</b> Burgundy	BN Brushed Nickel CH Chrome DB Dark Bronze

Example: MP-919LED-BU/DB

Canopy models (MP) include Quick Adjust™ canopy Quick Connect™ (QP) models require additional adapter

System Model # Color Finish
919 - BU /

Example: MP-919-BU/DB

#### **SOCKET FINISHES**

**BN** - Brushed Nickel







WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 **Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

# POME - model: G919

# WAC LIGHTING

# Cosmopolitan Collection Glass Pendant


### Responsible Lighting®

#### **QUICK CONNECT™ ADAPTERS** (order one per fixture)

Solorail™	Model #	Finish
101	LM-QADP	BN
T.		CH
100		DB
W		


Duorail™	Model #	Finish
B	LM2-QADP	BN CH DB
W		

## Flexrail1™



120V Track		
	EN-LQ50AR	BK
	<b>EN-HQ50AR</b>	BN
V-	<b>EN-JQ50AR</b>	DB
Als.		WT

#### **ORDER NUMBER**



Example: LM-QADP-BN

#### QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



Model #	Finish
QMP-60ERN	BN
	CH
	DB



Finish	Model #
MR	QMP-G1RN
MR	QMP-G1RN



h



Model # Finish QMP-G3RE MR


#### QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER







#### **ORDER NUMBER**



Example: QMP-60ERN-BN

#### **FINISHES**

BK - Black













**WAC Lighting** www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050

**Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585