

# WS-QA72


## Quick Adjust™ Pendant Sconce

# WAC LIGHTING

Responsible Lighting®



shown with QP915-CF/BN



Fixture Type:

Catalog Number:

Project: \_\_\_\_\_

Location: \_\_\_\_\_

### PRODUCT DESCRIPTION

The Quick Adjust™ Pendant Sconce is compatible with many of our Quick Connect™ pendants. Patent pending Quick Adjust™ technology allows the pendant to be easily adjusted to any length up to 72".

### FEATURES

- Accommodates any pendant under 6" in diameter (order separately)
- Multiple lamping options available
- Socket sets available in multiple styles with matching finishes (order separately)
- Integral electronic transformer
- 5 year WAC Lighting product warranty

### SPECIFICATIONS

**Construction:** Die-cast aluminum bracket and steel back plate.

**Transformer:** Electronic, 120V 50/60Hz input, 12V AC/60W output. 1W minimum load.

**Light Source:** LED, halogen or xenon (dependant on socket set).

**Dimming:** May be dimmed to 10% with an electronic low voltage (ELV) dimmer.

**Mounting:** Surface mounted to standard 4" junction box.

**Finish:** Brushed Nickel (BN), Chrome (CH) and Rubbed Bronze (RB).

**Standards:** UL & CUL Listed.

### ORDER NUMBER

Model #	Finish
WS-QA72	<b>BN</b> <i>Brushed Nickel</i>
	<b>CH</b> <i>Chrome</i>
	<b>RB</b> <i>Rubbed Bronze</i>

### FINISHES



**see next page for compatible pendants and ordering info**

**WS-QA72** -

Example: **WS-QA72-BN**

### Compatible with Quick Connect™ Pendants

- Accommodates any pendant under 6" in diameter (order separately)
- Choose from LED or incandescent lamping
- Socket sets available in multiple styles with matching finishes (order separately)



WAC Lighting  
www.waclighting.com  
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center  
44 Harbor Park Drive • Port Washington, NY 11050  
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center  
1750 Archibald Avenue • Ontario, CA 91760  
Phone (800) 526.2588 • Fax (800) 526.2585

# WS-QA72

## Compatible Socket Sets

# WAC LIGHTING

Responsible Lighting®

### 300 Series LEDme®

**Lamping:** LED  
**Power:** 3.7W  
**Lumens:** 165  
**Color Temp:** 3000K  
**CRI:** 85



Model		Finish
QP-LED303	6'	<b>BN</b> Brushed Nickel
QP-LED303X12	12'	<b>CH</b> Chrome
		<b>DB</b> Dark Bronze

Example: **QP-LED303-BN**

### 500 Series LEDme®

**Lamping:** LED  
**Power:** 4W  
**Lumens:** 330  
**Color Temp:** 3000K  
**CRI:** 85



Model		Finish
QP-LED503	6'	<b>BN</b> Brushed Nickel
QP-LED503X12	12'	<b>CH</b> Chrome
		<b>DB</b> Dark Bronze

Example: **QP-LED503-BN**

### 500 Series

**Lamping:** 12V Halogen JC-50  
**Power:** 50W max



Model		Finish
QP-501	6'	<b>BN</b> Brushed Nickel
QP-501X12	12'	<b>CH</b> Chrome
		<b>DB</b> Dark Bronze

Example: **QP-501-BN**

### 600 Series

**Lamping:** 12V Halogen JC-50  
**Power:** 50W max



Model		Finish
QP-601	6'	<b>BN</b> Brushed Nickel
QP-601X12	12'	<b>CH</b> Chrome
		<b>DB</b> Dark Bronze

Example: **QP-601-BN**

### 700 Series

**Lamping:** 12V Xenon BP-50  
**Power:** 50W max



Model		Finish
QP-701	6'	<b>BN</b> Brushed Nickel
QP-701X12	12'	<b>CH</b> Chrome
		<b>DB</b> Dark Bronze

Example: **QP-701-BN**

### 900 Series

**Lamping:** 12V Xenon BP-50  
**Power:** 50W max



Model		Finish
QP-902	6'	<b>BN</b> Brushed Nickel
QP-902X12	12'	<b>CH</b> Chrome
		<b>DB</b> Dark Bronze

Example: **QP-902-BN**

### Early Electric Series

**Lamping:** LED  
**Power:** 5.6W  
**Lumens:** 430  
**Color Temp:** 3000K  
**CRI:** 85



Model		Finish
QP-LED403	6'	<b>BN</b> Brushed Nickel
QP-LED403X12	12'	<b>CH</b> Chrome
		<b>DB</b> Dark Bronze

Example: **QP-LED403-BN**

# WS-QA72

## Compatible Pendants

# WAC LIGHTING

Responsible Lighting®

### 300 Series LEDme®

Lamping: LED  
Power: 3.7 W  
Lumens: 165  
Color Temp: 3000K  
CRI: 85



Model	Shade Color	Socket Finish
<b>QP-LED334</b>	<b>CL</b> Clear	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP-LED334-CL/CH**

### 300 Series LEDme®

Lamping: LED  
Power: 9 W  
Lumens: 210  
Color Temp: 3000K  
CRI: 85



Model	Pendant Finish	Canopy Finish
<b>QP-LED311</b>	<b>BN</b> Brushed Nickel	<b>BN</b> Brushed Nickel <b>CH</b> Chrome

Example: **QP-LED311-BN/CH**

### 300 Series LEDme®

Lamping: LED  
Power: 4.5 W  
Lumens: 180  
Color Temp: 3000K  
CRI: 85



Model	Pendant Finish	Canopy Finish
<b>QPLED314</b>	<b>BN</b> Brushed Nickel <b>CH</b> Chrome	<b>BN</b> Brushed Nickel <b>CH</b> Chrome

Example: **QPLED314-BN/CH**

### 300 Series LEDme®

Lamping: LED  
Power: 4.5 W  
Lumens: 200  
Color Temp: 3000K  
CRI: 85



Model	Pendant Finish	Canopy Finish
<b>QPLED315</b>	<b>BK</b> Black <b>PT</b> Platinum	<b>BN</b> Brushed Nickel <b>CH</b> Chrome

Example: **QPLED315-PT/CH**

### 400 Series

Lamping: LED  
Power: 5.6 W  
Lumens: 376  
Color Temp: 3500K  
CRI: 85




Model	Shade Finish	Canopy Finish
<b>QP-LED491</b>	<b>CL</b> Clear	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP-LED491-CL/BN**

### 400 Series

Lamping: LED  
Power: 5.6 W  
Lumens: 155  
Color Temp: 3500K  
CRI: 85



Model	Shade Finish	Canopy Finish
<b>QP-LED496</b>	<b>IR</b> Iridescent	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP-LED496-IR/BN**

### 400 Series

Lamping: LED  
Power: 5.6 W  
Lumens: 360  
Color Temp: 3500K  
CRI: 85



Model	Shade Finish	Canopy Finish
<b>QP-LED498</b>	<b>AM</b> Amber <b>WT</b> White	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP-LED498-AM/DB**

### 400 Series

Lamping: LED  
Power: 5.6 W  
Lumens: 360  
Color Temp: 3500K  
CRI: 85



Model	Shade Finish	Canopy Finish
<b>QP-LED499</b>	<b>CR</b> Clear Cracked	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP-LED499-CR/CH**

### 400 Series

Lamping: LED  
Power: 5.6 W  
Lumens: 350  
Color Temp: 3500K  
CRI: 85



Model	Shade Finish	Canopy Finish
<b>QP-LED497</b>	<b>CL</b> Clear	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP-LED497-AM/DB**

### 400 Series

Lamping: LED  
Power: 5.6 W  
Lumens: 378  
Color Temp: 3500K  
CRI: 85




Model	Shade Finish	Canopy Finish
<b>QP-LED493</b>	<b>WT</b> White	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP-LED493-AM/DB**

### 400 Series

Lamping: A OR G30  
Power: 100W max



Model	Shade Color	Socket Finish
<b>PLD-F4-451</b>	<b>AM</b> Amber <b>BL</b> Blue <b>WT</b> White	<b>BK</b> Black <b>BN</b> Brushed Nickel <b>WT</b> Dark Bronze

Example: **PLD-F4-451-AM/BN**

### 400 Series

Lamping: A OR G30  
Power: 100W max



Model	Shade Color	Socket Finish
<b>PLD-F4-454</b>	<b>AM</b> Amber <b>WT</b> White	<b>BK</b> Black <b>BN</b> Brushed Nickel <b>WT</b> Dark Bronze

Example: **PLD-F4-454-AM/BN**

# WS-QA72

## Compatible Pendants

# WAC LIGHTING

Responsible Lighting®

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3000K  
CRI: 70



Model	Pendant Finish	Canopy Finish
QP-LED541	AM Amber	BN Brushed Nickel
	WT White	CH Chrome
		DB Dark Bronze

Example: QP-LED541-AM/BN

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70



Model	Shade Color	Socket Finish
QP-LED559	MR Mirror	BN Brushed Nickel
	GL Gold	CH Chrome
	DIC Dichroic	DB Dark Bronze

Example: QP-559-MR/CH

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70



Model	Shade Color	Socket Finish
QP-LED536	BL Blue	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: QP-LED536-BL/CH

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70



Model	Shade Color	Socket Finish
QP-LED599	BL Blue	BN Brushed Nickel
	UM Umber	CH Chrome
	WT White	DB Dark Bronze

Example: QP-LED599-UM/DB

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70




Model	Color	Socket Finish
QP513	AM Amber	BN Brushed Nickel
	WT White	CH Chrome
		DB Dark Bronze

Example: QP513-AM/CH

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70



Model	Color	Socket Finish
QP-LED512	AM Amber	BN Brushed Nickel
	BL Blue	CH Chrome
	RD Red	DB Dark Bronze
	WT White	

Example: QP-LED512-RD/CH

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70




Model	Color	Socket Finish
QP-LED530	GR Green	BN Brushed Nickel
	MC Multi-color	CH Chrome
		DB Dark Bronze

Example: QP-LED530-GR/BN

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70



Model	Color	Socket Finish
QP-LED546	DIC Dichroic	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: QP-LED546-DIC/BN

### 500 Series LEDme®

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 75



Model	Shade Color	Socket Finish
QP-LED531	FR Frosted	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: QP-LED531-FR/BN

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70



Model	Shade Color	Socket Finish
QP-LED518	DIC Dichroic	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: QP-LED518-DIC/BN

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70



Model	Shade Color	Socket Finish
QP-LED515	AM Amber	BN Brushed Nickel
	MF Millefiori	CH Chrome
		DB Dark Bronze

Example: QP-LED515-AM/CH

### 500 Series

Lamping: LED  
Power: 5 W  
Lumens: 230  
Color Temp: 3500K  
CRI: 70



Model	Shade Color	Socket Finish
QP-LED540	BK Black	BN Brushed Nickel
	BL Blue	CH Chrome
		DB Dark Bronze

Example: QP-LED540-BL/CH

# WS-QA72

## Compatible Pendants

# WAC LIGHTING

Responsible Lighting®

### 500 Series LEDme®

**Lamping:** LED  
**Power:** 5 W  
**Lumens:** 230  
**Color Temp:** 3500K  
**CRI:** 75




Model	Shade Color	Socket Finish
QP-LED538	IR Iridescent	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: QP-LED538-IR/BN

### 600 Series

**Lamping:** 12V Halogen JC-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
QP613	AM Amber	BN Brushed Nickel
	BL Blue	CH Chrome
	RD Red	DB Dark Bronze
	WT White	

Example: QP613-RD/BN

### 600 Series

**Lamping:** 12V Halogen JC-50  
**Power:** 50W max




Model	Shade Color	Socket Finish
QP631	OP Opaline	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: QP631-OP/BN

### 600 Series

**Lamping:** 12V Halogen JC-50  
**Power:** 50W max




Model	Shade Color	Socket Finish
QP614	BG Blue Green	BN Brushed Nickel
	MF Millefiori	CH Chrome
	YR Yellow Red	DB Dark Bronze

Example: QP614-BG/BN

### 600 Series

**Lamping:** 12V Halogen JC-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
QP611	BL Blue	BN Brushed Nickel
	WT White	CH Chrome
		DB Dark Bronze

Example: QP611-BL/BN

### 600 Series

**Lamping:** 12V Halogen JC-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
QP630	PK Peacock	BN Brushed Nickel
	SF Saffron	CH Chrome
		DB Dark Bronze

Example: QP630-SF/BN

### 700 Series

**Lamping:** 12V BP-50 Xenon  
**Power:** 50W max




Model	Shade Color	Socket Finish
QP711	AM Amber	BN Brushed Nickel
	WT White	CH Chrome
		DB Dark Bronze

Example: QP711-AM/BN

### 900 Series

**Lamping:** 12V BP-20 Xenon  
**Power:** 20W max




Model	Shade Color	Socket Finish
QP913	CF Clear Frosted	BN Brushed Nickel
	OE Opal Etched	CH Chrome
	RD Red	DB Dark Bronze

Example: QP913-CF/BN

### 900 Series

**Lamping:** LED  
**Power:** 5 W  
**Lumens:** 230  
**Color Temp:** 3500K  
**CRI:** 70




Model	Shade Finish	Canopy Finish
QP-LED966	BN Brushed Nickel	BN Brushed Nickel
	CH Chrome	CH Chrome
	DB Dark Bronze	DB Dark Bronze

Example: QP-LED966-BN/BN

### 900 Series

**Lamping:** 12V BP-50 Xenon  
**Power:** 50W max



Model	Shade Color	Socket Finish
QP954	IR Iridescent	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: QP954-IR/BN

### 900 Series

**Lamping:** 12V Xenon BP-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
QP946	AL Alabaster	BN Brushed Nickel
	GT Granite	CH Chrome
		DB Dark Bronze

Example: QP946-AL/BN

### 900 Series

**Lamping:** 12V Xenon BP-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
QP930	CL Clear	BN Brushed Nickel
		CH Chrome
		DB Dark Bronze

Example: QP930-CL/BN

# WS-QA72


## Compatible Pendants

# WAC LIGHTING

Responsible Lighting®

### 900 Series

**Lamping:** 12V Xenon BP-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
<b>QP940</b>	<b>CL</b> Clear	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP940-CL/BN**

### 900 Series

**Lamping:** 12V Xenon BP-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
<b>QP920</b>	<b>CL</b> Clear	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP920-CL/BN**

### 900 Series

**Lamping:** 12V Xenon BP-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
<b>QP915</b>	<b>CF</b> Clear Frosted	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP915-CL/BN**

### 900 Series

**Lamping:** 12V Xenon BP-50  
**Power:** 50W max



Model	Shade Color	Socket Finish
<b>QP914</b>	<b>CF</b> Clear Frosted	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP914-CL/BN**

### 900 Series

**Lamping:** LED  
**Power:** 5 W  
**Lumens:** 230  
**Color Temp:** 3500K  
**CRI:** 70



Model	Shade Finish	Canopy Finish
<b>QP-LED953</b>	<b>BN</b> Brushed Nickel <b>CH</b> Chrome	<b>BN</b> Brushed Nickel <b>CH</b> Chrome <b>DB</b> Dark Bronze

Example: **QP-LED953-BN/BN**