

615 South Street Garden City, NY 11530 Tel: 866.788.2100 Fax: 516.393.3084 www.W2lighting.com


| CATALOG NUMBER | |
|----------------|--|
| | |
| | |

PROJECT

PRECISION MODULE - 4" (1 X 1) REMODELING HOUSING

SERIES MT4





| Ordering Matrix - Housing | | | | |
|---------------------------|--------------------------|-------------------------------|--|---------------------|
| Housing | Size | Туре | Trim | |
| | x | | | |
| MT4 = 4" Housing | 1X1 = 1W X 1L (one cell) | R = Remodeling Housing | T = Trim O = Trimless | Modules See Pg 2 |

Housing Ordering Example (housing - size - type - trim + module): MT4-1X1-R-T + module ordering code

| Product De | tails | Specification Features | |
|------------------------|--|--|--|
| Description: | Specification grade single module fixture that allows you to vary aiming position so that the aiming module is either below the ceiling plane or stays within the housing. This versatile luminaire is the perfect solution for better retail and commercial applications where | Trimless option allows the fixture to blend into the ceiling. The 4" housing accepts MR16 module types. | |
| | high performance and maximum adjustability are important. | ······································ | |
| Housing: | Housing is die formed 20 gauge steel with black abrasion resistant powder coat paint finish. Four height adjusting integral mounting clips attach the housing to the ceiling. | Universal height adjusting integral mounting clips attach to most commercial ceiling types. | |
| | The four mounting clips adjust to ceiling thickness of 3/8" to 1 1/2". | • 2 year W2 Architectural Lighting | |
| | J-Box attached to housing has four 1/2" knockouts. | product warranty. | |
| | Luminaire system thermal protector located on junction box. | Contact factory for special project | |
| Trim: | Decorative white finish trim with two torsion springs or trimless option available. | configuration options. | |
| Housing Dimensions: | $2 \times 2 = 9 3/8$ " L x 9 3/8" W x 4" H. Total height with module(s) is 9 1/4". | The full catalog number for the | |
| Listings: | UL & CUL Listed. Non-IC Rated. Listed for Branch Wiring. | precision module consists of ordering information for both the housing and module selection. | |
| | Thermal Protector located on junction box meets NEC, UL and CSA requirements. | | |




615 South Street Garden City, NY 11530 Tel: 866.788.2100 Fax: 516.393.3084 www.W2lighting.com

| CATALOG NUMBER | <u>TYPE</u> |
|----------------|-------------|
| | |
| PROJECT | |
| | |

PRECISION MODULE - 4" (1 X 1) REMODELING HOUSING

SERIES MT4



| Ordering Matrix - Module (same module in every cell) | | | |
|--|------------------------|--------|-----------------|
| | Module Configuration | Cell 1 | Input Voltage |
| | S | MR 16 | G |
| Housing See Pg 1 | S = Single Type | MR16 | G = 120V |

Module Ordering Example (configuration + module + voltage): SMR16G

| Module Selection | | | |
|------------------|--------------|---------------------------------|---------------|
| Module | Model Number | Description | Ordering Code |
| | MT-MR16 | 75W (MAX) MR16 Low Voltage Lamp | MR16 |